



# 2025 Clausematch Accessibility Conformance Report - Admin Panel

(Based on VPAT ® Version 2.4)

## Product Information

**Name of Product/Version:** Clausematch v 2025.1

**Related Product Modules:** [Admin Panel](#)

### Product/Module Description:

Clausematch is an online document management and content management application used to create, edit and approve internal compliance documentation. Key capabilities include real-time collaboration, granular workflow for review and approval and a comprehensive audit trail.

**Policy Management** is the module used to administrate and configure all aspects of the Clausematch platform.

**Date:** @March 7, 2025

**Contact information:** help@clausematch.com

**Notes:** The information contained in this report applies to the product itself. Information about product help and support documentation is located at <https://help.clausematch.com/knowledge>

### Evaluation Methods Used:

Testing Clausematch involved extensive use of leading assistive technology such as screen readers, screen magnifiers, and exclusive keyboard use. Native platform accessibility features were also used to assist with testing. These were supplemented with techniques such as the use of automated accessibility tools and manual inspection of Accessibility API output.

## Applicable Standards/Guidelines

This report covers the degree of conformance with the following accessibility standards/guidelines:

Standard/Guideline	Included in Report
<a href="#">Web Content Accessibility Guidelines 2.1</a>	<b>Level A: Yes</b> <b>Level AA: Yes</b>  Level AAA: No

## Terms

The terms used in the Conformance Level information are defined as follows:

- Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports:** Some functionality of the product does not meet the criterion.
- Does Not Support:** The majority of product functionality does not meet the criterion.
- Not Applicable:** The criterion is not relevant to the product.
- Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.2 Level AAA.

## WCAG 2.x Report

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

### Success criteria

Level	Requirement	Aa Summary	Support Level	Remarks and Explanations
	<b>1.1 Text Alternatives</b>	-		
A	1.1.1 – Non-text Content	Provide text alternatives for non-text content that serves the same purpose.	Supports	The product provides sufficient text alternatives for most instances of images. Exceptions include: <ul style="list-style-type: none"><li>User-generated content</li></ul>
	<b>1.2 Time-based Media</b>	-		
A	1.2.1 – Audio-only and Video-only (Pre-recorded)	Provide an alternative to video-only and audio-only content.	Not applicable	The product does not contain prerecorded audio-only or video-only media.
A	1.2.2 – Captions (Pre-recorded)	Provide captions for videos with audio.	Not applicable	The product does not contain prerecorded synchronized media.

Level	Requirement	Summary	Support Level	Remarks and Explanations
A	1.2.3 – Audio Description or Media Alternative (Pre-recorded)	Provide audio description or text transcript for videos with sound.	Not applicable	The product does not contain prerecorded video content that would require audio description or a media alternative.
AA	1.2.4 – Captions (Live)	Add captions to live videos.	Not applicable	The product does not contain live synchronized media.
AA	1.2.5 – Audio Description (Pre-recorded)	Provide audio descriptions for pre-recorded videos.	Not applicable	The product does not contain prerecorded video content that would require audio description.
AAA	1.2.6 – Sign Language (Pre-recorded)	Provide sign language translations for pre-recorded videos.	Not Evaluated	
AAA	1.2.7 – Extended Audio description (Pre-recorded)	Provide extended audio descriptions for pre-recorded videos.	Not Evaluated	
AAA	1.2.8 – Media Alternative (Pre-recorded)	Provide text alternatives for pre-recorded videos.	Not Evaluated	
AAA	1.2.9 – Audio Only (Live)	Provide alternatives for live audio.	Not Evaluated	
	1.3 Adaptable	-		
A	1.3.1 – Info and Relationships	Content, structure and relationships can be programmatically determined	Supports	Most of the structure and relationship information are provided through element semantics. Exceptions include: <ul style="list-style-type: none"> <li>User-generated content</li> </ul>
A	1.3.2 – Meaningful Sequence	Present content in a meaningful order.	Supports	The product presents most content in a meaningful sequence.
A	1.3.3 – Sensory Characteristics	Instructions don't rely solely on sensory characteristics.	Supports	Instructions do not rely solely on sensory characteristics.
AA	1.3.4 – Orientation	Your website adapts to portrait and landscape views.	Does Not Support	Content is restrict its view and operation to a single display orientation.
AA	1.3.5 – Identify Input Purpose	The purpose of input fields must be programmatically determinable.	Supports	All input fields that collect information are programmatically determinable and provide autocomplete functionality.
AAA	1.3.6 – Identify Purpose	The purpose of all components must be programmatically determinable.	Not Evaluated	
	1.4 Distinguishable	-		
A	1.4.1 – Use of Colour	Don't use presentation that relies solely on colour.	Supports	All functions of the product do not convey information through color alone.
A	1.4.2 – Audio Control	Don't play audio automatically.	Not applicable	The product does not contain audio that plays automatically.
AA	1.4.3 – Contrast (Minimum)	Contrast ratio between text and background is at least 4.5:1.	Partially Supports	Most text meets minimum contrast requirements. Exceptions include: <ul style="list-style-type: none"> <li>Colors related to the white labeling themes</li> <li>Some section names, placeholders, few buttons, tags</li> <li>Few menu/submenu elements</li> </ul>
AA	1.4.4 – Resize Text	Text can be resized to 200% without loss of content or function.	Does Not Support	The product allows browser zoom to resize text up to 150 percent without loss of content or functionality.
AA	1.4.5 – Images of Text	Don't use images of text.	Supports	The product uses text instead of images of text, except for branding elements that are considered essential.
AAA	1.4.6 – Contrast (Enhanced)	Contrast ratio between text and background is at least 7:1.	Not Evaluated	
AAA	1.4.7 – Low or No Background Audio	Audio-only content is clear with no or minimal background noise.	Not Evaluated	
AAA	1.4.8 – Visual Presentation	Offer users a range of presentation options for blocks of text.	Not Evaluated	
AAA	1.4.9 – Images of Text (No Exception)	Don't use images of text.	Not Evaluated	
AA	1.4.10 – Reflow	Content retains meaning and function without scrolling in two dimensions.	Does Not Support	<b>Web:</b> At the required width of 320 CSS pixels, most functions of the product do not meet this criterion. Loss of information or functionality occurs and content which does not require two-dimensional layout for meaning relies on scrolling in two dimensions. Examples include: <ul style="list-style-type: none"> <li>Tables require both vertical and horizontal scrolling.</li> <li>Text in the main menu which is truncated or overlapped.</li> </ul>
AA	1.4.11 – Non-Text Contrast	The contrast between user interface components, graphics and adjacent colours is at least 3:1.	Partially Supports	Meaningful non-text content elements have sufficient contrast. Exceptions include:

Level	Requirement	Summary	Support Level	Remarks and Explanations
				<ul style="list-style-type: none"> <li>Colors related to the white labeling themes</li> <li>User icons</li> <li>Tags</li> </ul>
AA	1.4.12 – Text Spacing	Content and function retain meaning when users change elements of text spacing.	Does Not Support	The product doesn't supports the required text style properties without loss of content or functionality.
AA	1.4.13 – Content on Hover or Focus	When hover or focus triggers content to appear, it is dismissible, hoverable and persistent.	Supports	When content is triggered by hover or focus, it becomes visible and then hidden in a manner which meets this criterion.
	2.1 Keyboard Accessible	-		
A	2.1.1 – Keyboard	All functionality is accessible by keyboard with no specific timings.	Partially Supports	Most product functionality can be operated through a keyboard interface. Exceptions include: <ul style="list-style-type: none"> <li>Navigating in tables</li> <li>Create/update user modal</li> <li>Create category</li> </ul>
A	2.1.2 – No Keyboard Trap	Users can navigate to and from all content using a keyboard.	Supports	The product does not include keyboard traps.
AAA	2.1.3 – Keyboard (No Exception)	All functionality is accessible by keyboard with no exceptions.	Not Evaluated	
A	2.1.4 – Character Key Shortcuts	Allow users to turn off or remap single-key character shortcuts.	Not applicable	The product does not provide single-character key shortcuts.
	2.2 Enough Time	-		
A	2.2.1 – Timing Adjustable	Provide user controls to turn off, adjust or extend time limits.	Not applicable	The product does not include functionality dependent on time limits.
A	2.2.2 – Pause, Stop, Hide	Provide user controls to pause, stop and hide moving and auto-updating content.	Not applicable	The product does not include elements which move, blink, scroll, or auto-update.
AAA	2.2.3 – No Timing	No time limits on your website.	Not Evaluated	
AAA	2.2.4 – Interruptions	Users can postpone or suppress non-emergency interruptions.	Not Evaluated	
AAA	2.2.5 – Re-authenticating	Save user data when re-authenticating.	Not Evaluated	
AAA	2.2.6 – Timeouts	Warn users about timeouts that cause data loss.	Not Evaluated	
	2.3 Seizures and Physical Reactions	-		
A	2.3.1 – Three Flashes or Below Threshold	No content flashes more than three times per second.	Supports	The product does not contain flashing content.
AAA	2.3.2 – Three Flashes	No content flashes more than three times per second.	Not Evaluated	
AAA	2.3.3 – Animation from Interactions	Users can disable motion animation.	Not Evaluated	
	2.4 Navigable	-		
A	2.4.1 – Bypass Blocks	Provide a way for users to skip repeated blocks of content.	Supports	Users can navigate via main menu, for some pages sidebar navigation menu is present or search capabilities that allow to find and jump to selected item. Also within page shortcuts ctrl+up/ctrl+down are available to navigate to top/bottom of page.
A	2.4.2 – Page Titled	Use helpful and clear page titles.	Supports	The titles of pages describe the purpose.
A	2.4.3 – Focus Order	Components receive focus in a logical sequence.	Supports	Components receive focus in a meaningful order.
A	2.4.4 – Link Purpose (In Context)	Every link's purpose is clear from its text or context.	Supports	The purpose of links in the product can be determined from the link text alone or from the programmatic context of the link. Exceptions include: <ul style="list-style-type: none"> <li>User-generated content</li> </ul>
AA	2.4.5 – Multiple Ways	Offer at least two ways to find pages on your website.	Supports	Users can locate web pages in the product through header navigation, for some pages sidebar navigation menu is present or user can utilise search capabilities that allow to find and jump to selected item.
AA	2.4.6 – Headings and Labels	Headings and labels describe topic or purpose.	Supports	Headings and labels are descriptive.
A	2.4.7 – Focus Visible	Keyboard focus is visible when used.	Supports	All focusable elements have a visible keyboard focus indicator.
AAA	2.4.8 – Location	Let users know where they are on your website.	Not Evaluated	
AAA	2.4.9 – Link Purpose (Link Only)	Every link's purpose is clear from its text.	Not Evaluated	
AAA	2.4.10 – Section Headings	Organise content with headings.	Not Evaluated	
AA	2.4.11 – Focus Not Obscured	When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.	Supports	

Level	Requirement	Summary	Support Level	Remarks and Explanations
AAA	2.4.12 Focus Not Obscured (Enhanced)	<u>When a user interface component receives keyboard focus, no part of the component is hidden by author-created content.</u>	Not Evaluated	
AAA	2.4.13 Focus Appearance	<u>When the keyboard focus indicator is visible, an area of the focus indicator meets all the following: • is at least as large as the area of a 2 CSS pixel thick perimeter of the unfocused component or sub-component, and • has a contrast ratio of at least 3:1 between the same pixels in the focused and unfocused states.</u>	Not Evaluated	
A	2.5.2 Pointer Cancellation	<u>Untitled</u>	Supports	Product functions that use a single pointer are completed when the user releases the pointer. User can cancel pointer actions before pointer is released.
A	2.5.3 Label in Name	<u>Untitled</u>	Partially Supports	Most product functions, accessible names of controls contain the text of their visible labels. Exceptions includes: • Hints • Some submenu buttons • Some close or return buttons
A	2.5.4 Motion Actuation	<u>Untitled</u>	Not applicable	The product does not have functionality operated by device motion or user motion.
AAA	2.5.5 Target Size	<u>The size of the target for pointer inputs is at least 44 CSS pixels</u>	Not Evaluated	
AAA	2.5.6 Concurrent Input Mechanisms	<u>Untitled</u>	Not Evaluated	
AA	2.5.7 Dragging movements	<u>All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.</u>	Partially Supports	Some drag and drop functionality has alternatives like in metadata screen, where user can double click instead of drag and drop. But in other parts of system like platform configuration there are no alternatives for drag and drop.
AA	2.5.8 Target size (Minimum)	<u>The size of the target for pointer inputs is at least 24 by 24 CSS pixels</u>	Partially Supports	Most of the interactive elements support this requirement with limited amount of items that doesn't comply in size, but comply in spacing condition: - some icons (clear input, btn more, add for tags) - switches (platform configuration, document types) - checkboxes Few items don't comply requirements: - drag and drop icons - editor options for multiline text editor
A	3.1.1 – Language of Page	<u>Page has a language assigned</u>	Supports	The language is programmatically determinable within the product.
AA	3.1.2 – Language of Parts	<u>Tell users when the language on a page changes</u>	Supports	Content is only presented in one language at a time. Exceptions include: • User-generated content
AAA	3.1.3 – Unusual words	<u>Explain any strange words</u>	Not applicable	
AAA	3.1.4 – Abbreviations	<u>Explain any abbreviations</u>	Not applicable	
AAA	3.1.5 – Reading Level	<u>Users with nine years of school can read your content</u>	Not applicable	
AAA	3.1.6 – Pronunciation	<u>Explain any words that are hard to pronounce</u>	Not applicable	
	3.2 Predictable	-		
A	3.2.1 – On Focus	<u>Elements do not change when they receive focus</u>	Supports	All product functions, components do not initiate a change of context when focused.
A	3.2.2 – On Input	<u>Elements do not change when they receive input</u>	Supports	Changes of context do not occur automatically on user input.
AA	3.2.3 – Consistent Navigation	<u>Use menus consistently</u>	Supports	When navigational mechanisms are repeated in the product, such as header and side navigation, they occur in a consistent relative order.
AA	3.2.4 – Consistent Identification	<u>Use icons and buttons consistently.</u>	Supports	Components with the same functionality are identified consistently.
AAA	3.2.5 – Change on Request	<u>Don't change elements on your website until users ask</u>	Not Evaluated	
A	3.2.6 – Consistent Help	<u>If a web page contains any of the following help mechanisms, and those mechanisms are repeated on multiple web pages within a set of web pages, they occur in the same order relative to other page content, unless a change is initiated by the user</u>	Supports	Help mechanisms are places on all pages within corresponding menu
	3.3 Input Assistance	-		
A	3.3.1 – Error Identification	<u>Clearly identify input errors</u>	Supports	Where input errors are automatically detected, items in error are identified and error messages are provided as text.
A	3.3.2 – Labels or Instructions	<u>Label elements and give instructions</u>	Supports	Labels are provided for all input fields.
		<u>Untitled</u>		

≡ Level	≡ Requirement	Aa Summary	⦿ Support Level	≡ Remarks and Explanations
AA	<u>3.3.3 – Error Suggestion</u>	<u>Suggest fixes when users make errors</u>	Supports	Where input errors are automatically detected, suggestions for correction are provided to the user.
AA	<u>3.3.4- Error Prevention (Legal, Financial, Data)</u>	<u>Reduce the risk of input errors for sensitive data</u>	Supports	The product does not process legal commitments or financial transactions. Changes to user-controllable data are reversible or can be confirmed before finalizing.
AAA	<u>3.3.5 – Help</u>	<u>Provide detailed help and instructions</u>	Not Evaluated	
AAA	<u>3.3.6 – Error Prevention (All)</u>	<u>Reduce the risk of all input errors</u>	Not Evaluated	
A	<u>3.3.7 - Redundant entry</u>	<u>Information previously entered by or provided to the user that is required to be entered again in the same process is either: • auto-populated, or • available for the user to select.</u>	Supports	In case of scenario when user needs to reenter information, following options are available: - save entity, like saved screen or metadata
AA	<u>3.3.8 Accessible Authentication (Minimum)</u>	<u>A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless that step provides at least one of the following: alternative/mechanism/object recognition/personal content</u>	Supports	Authentication process does not contain any cognitive function test
AAA	<u>3.3.9 - Accessible Authentication (Enhanced)</u>	<u>A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless that step provides at least one of the following: alternative/mechanism</u>	Not Evaluated	
A	<u>4.1.2 – Name, Role, Value</u>	<u>Build all elements for accessibility.</u>	Supports	User interface components in most product functions provide programmatic name, role, state, or value information. Exceptions include: • User-generated content
AA	<u>4.1.3 - Status Messages</u>	<u>In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.</u>	Does Not Support	When status updates do not receive focus, such as toast messages, the product do not provides the update to assistive technology as a live region.